

# KERN OZM952



Predefined stereo microscope set with ball bearing double arm and 4.5 W ring illumination unit for safety and flexibility



## Power supply

Input voltage: 100 - 240 V

## Category

Brand: Optics

## Packaging & shipping

Delivery: 24 h  
Dimensions packaging (WxDxH): 700 x 520 x 350 mm  
Gross weight: 12,600 kg  
Net weight: 11 kg  
Shipping method: Parcel service

## Construction

Eye distance (max): 76  
Eye distance (min): 52  
Optical system: Greenough  
Rotation of tube 360°: yes  
Tube: Binocular  
Tube angle: 45°

# KERN OZM952UK



Predefined stereo microscope set with ball bearing double arm and 4.5 W ring illumination unit for safety and flexibility



## Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	UK

## Category

Brand:	Optics
--------	--------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	700 x 520 x 350 mm
Gross weight:	12,600 kg
Net weight:	11 kg
Shipping method:	Parcel service

## Construction

Eye distance (max):	76
Eye distance (min):	52
Optical system:	Greenough
Rotation of tube 360°:	yes
Tube:	Binocular
Tube angle:	45°

# KERN OZM953



Predefined stereo microscope set with ball bearing double arm and 4.5 W ring illumination unit for safety and flexibility



## Power supply

Input voltage: 100 - 240 V

## Category

Brand: Optics

## Packaging & shipping

Delivery: 24 h  
Dimensions packaging (WxDxH): 700 x 520 x 350 mm  
Gross weight: 12,600 kg  
Net weight: 11 kg  
Shipping method: Parcel service

## Construction

Eye distance (max): 76  
Eye distance (min): 52  
Optical system: Greenough  
Rotation of tube 360°: yes  
Tube: Trinocular  
Tube angle: 45°

# KERN OZM953UK



Predefined stereo microscope set with ball bearing double arm and 4.5 W ring illumination unit for safety and flexibility



## Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	UK

## Category

Brand:	Optics
--------	--------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	700 x 520 x 350 mm
Gross weight:	12,600 kg
Net weight:	11 kg
Shipping method:	Parcel service

## Construction

Eye distance (max):	76
Eye distance (min):	52
Optical system:	Greenough
Rotation of tube 360°:	yes
Tube:	Trinocular
Tube angle:	45°