

# KERN 347-015-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	1 mg

## Accessories

Plastic box:	347-030-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-631N
DAkkS Certificate (Recalibration):	962-631RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 2 mm
Gross weight:	1 g
Net weight:	1 g
Shipping method:	Parcel service

## Construction

Dimensions:	13   2
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-015

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	1 g
OIML class:	M1
Tolerance:	1 mg

## Accessories

Plastic box:	347-030-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-631
DAkkS Certificate (Recalibration):	962-631R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 2 mm
Gross weight:	1 g
Net weight:	1 g
Shipping method:	Parcel service

## Construction

Dimensions:	13   2
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-025-N00

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	1,200 mg

## Accessories

Plastic box:	347-030-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-632N
DAkkS Certificate (Recalibration):	962-632RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 3,7 mm
Gross weight:	2 g
Net weight:	2 g
Shipping method:	Parcel service

## Construction

Dimensions:	13   3,700
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-025

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	2 g
OIML class:	M1
Tolerance:	1,200 mg

## Accessories

Plastic box:	347-030-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-632
DAkkS Certificate (Recalibration):	962-632R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 3,7 mm
Gross weight:	2 g
Net weight:	2 g
Shipping method:	Parcel service

## Construction

Dimensions:	13   3,700
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-035-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	1,600 mg

## Accessories

Plastic box:	347-030-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-633N
DAkkS Certificate (Recalibration):	962-633RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	18 x 18 x 3,5 mm
Gross weight:	5 g
Net weight:	10 g
Shipping method:	Parcel service

## Construction

Dimensions:	18   3,500
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-035

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	5 g
OIML class:	M1
Tolerance:	1,600 mg

## Accessories

Plastic box:	347-030-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-633
DAkkS Certificate (Recalibration):	962-633R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	18 x 18 x 3,5 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

## Construction

Dimensions:	18   3,500
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-045-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	2 mg

## Accessories

Plastic box:	347-050-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-634N
DAkkS Certificate (Recalibration):	962-634RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	22 x 22 x 4,4 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

## Construction

Dimensions:	22   4,400
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-045

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	10 g
OIML class:	M1
Tolerance:	2 mg

## Accessories

Plastic box:	347-050-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-634
DAkkS Certificate (Recalibration):	962-634R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	22 x 22 x 4,4 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

## Construction

Dimensions:	22   4,400
Material:	finely turned stainless steel
Shape:	Slotted weight



# KERN 347-055-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	2,500 mg

## Accessories

Plastic box:	347-080-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-635N
DAkkS Certificate (Recalibration):	962-635RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	27 x 27 x 5,2 mm
Gross weight:	20 g
Net weight:	20 g
Shipping method:	Parcel service

## Construction

Dimensions:	27   5,200
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-055

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	20 g
OIML class:	M1
Tolerance:	2,500 mg

## Accessories

Plastic box:	347-080-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-635
DAkkS Certificate (Recalibration):	962-635R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	27 x 27 x 5,2 mm
Gross weight:	20 g
Net weight:	20 g
Shipping method:	Parcel service

## Construction

Dimensions:	27   5,200
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-065-N00

Slotted weight, finely turned stainless steel / finely turned brass



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	3 mg

## Accessories

Plastic box:	347-080-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-636N
DAkkS Certificate (Recalibration):	962-636RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	28 x 28 x 12 mm
Gross weight:	50 g
Net weight:	50 g
Shipping method:	Parcel service

## Construction

Dimensions:	28   12
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-065

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	50 g
OIML class:	M1
Tolerance:	3 mg

## Accessories

Plastic box:	347-080-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-636
DAkkS Certificate (Recalibration):	962-636R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	28 x 28 x 12 mm
Gross weight:	50 g
Net weight:	50 g
Shipping method:	Parcel service

## Construction

Dimensions:	28   12
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-075-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	5 mg

## Accessories

Plastic box:	347-090-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-637N
DAkkS Certificate (Recalibration):	962-637RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	33 x 33 x 17 mm
Gross weight:	100 g
Net weight:	100 g
Shipping method:	Parcel service

## Construction

Dimensions:	33   17
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-075

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	100 g
OIML class:	M1
Tolerance:	5 mg

### Accessories

Plastic box:	347-090-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-637
DAkkS Certificate (Recalibration):	962-637R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	33 x 33 x 17 mm
Gross weight:	100 g
Net weight:	100 g
Shipping method:	Parcel service

### Construction

Dimensions:	33   17
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-085-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	10 mg

## Accessories

Plastic box:	347-090-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-638N
DAkkS Certificate (Recalibration):	962-638RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	38 x 38 x 25 mm
Gross weight:	200 g
Net weight:	200 g
Shipping method:	Parcel service

## Construction

Dimensions:	38   25
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-085

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	200 g
OIML class:	M1
Tolerance:	10 mg

## Accessories

Plastic box:	347-090-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-638
DAkkS Certificate (Recalibration):	962-638R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	38 x 38 x 25 mm
Gross weight:	200 g
Net weight:	200 g
Shipping method:	Parcel service

## Construction

Dimensions:	38   25
Material:	finely turned stainless steel
Shape:	Slotted weight



# KERN 347-095-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	25 mg

## Accessories

Plastic box:	347-110-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-639N
DAkkS Certificate (Recalibration):	962-639RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	48 x 48 x 38 mm
Gross weight:	500 g
Net weight:	500 g
Shipping method:	Parcel service

## Construction

Dimensions:	48   38
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-095

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	500 g
OIML class:	M1
Tolerance:	25 mg

### Accessories

Plastic box:	347-110-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-639
DAkkS Certificate (Recalibration):	962-639R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	48 x 48 x 38 mm
Gross weight:	500 g
Net weight:	500 g
Shipping method:	Parcel service

### Construction

Dimensions:	48   38
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-115-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	50 mg

## Accessories

Plastic box:	347-130-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-641N
DAkkS Certificate (Recalibration):	962-641RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	80 x 80 x 25 mm
Gross weight:	1 kg
Net weight:	1 kg
Shipping method:	Parcel service

## Construction

Dimensions:	80   25,200
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-115

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	1 kg
OIML class:	M1
Tolerance:	50 mg

### Accessories

Plastic box:	347-130-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-641
DAkkS Certificate (Recalibration):	962-641R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	80 x 80 x 25 mm
Gross weight:	1 kg
Net weight:	1 kg
Shipping method:	Parcel service

### Construction

Dimensions:	80   25,200
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-125-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	100 mg

## Accessories

Plastic box:	347-130-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-642N
DAkkS Certificate (Recalibration):	962-642RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	80 x 80 x 52 mm
Gross weight:	2 kg
Net weight:	2 kg
Shipping method:	Parcel service

## Construction

Dimensions:	80   52
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-125

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	2 kg
OIML class:	M1
Tolerance:	100 mg

### Accessories

Plastic box:	347-130-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-642
DAkkS Certificate (Recalibration):	962-642R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	80 x 80 x 52 mm
Gross weight:	2 kg
Net weight:	2 kg
Shipping method:	Parcel service

### Construction

Dimensions:	80   52
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-135-N00

Slotted weight, finely turned stainless steel / finely turned brass

**KERN**<sup>®</sup>



## Piktogramme

### STANDARD



### OPTION



## Measuring system

OIML class:	M1
Tolerance:	250 mg

## Accessories

Plastic box:	347-140-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-643N
DAkkS Certificate (Recalibration):	962-643RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	100 x 100 x 79 mm
Gross weight:	5 kg
Net weight:	5 kg
Shipping method:	Parcel service

## Construction

Dimensions:	100   79
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-135

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	5 kg
OIML class:	M1
Tolerance:	250 mg

## Accessories

Plastic box:	347-140-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-643
DAkkS Certificate (Recalibration):	962-643R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	100 x 100 x 79 mm
Gross weight:	5 kg
Net weight:	5 kg
Shipping method:	Parcel service

## Construction

Dimensions:	100   79
Material:	finely turned stainless steel
Shape:	Slotted weight



# KERN 347-145-N00

Slotted weight, finely turned stainless steel / finely turned brass



## Measuring system

OIML class:	M1
Tolerance:	500 mg

## Services (optional)

DAkkS Certificate:	962-644N
DAkkS Certificate (Recalibration):	962-644RN

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	100 x 100 x 159 mm
Gross weight:	10 kg
Net weight:	10 kg
Shipping method:	Parcel service

## Construction

Dimensions:	100   159
Material:	finely turned stainless steel
Shape:	Slotted weight

## Piktogramme

### STANDARD



### OPTION



# KERN 347-145

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	10 kg
OIML class:	M1
Tolerance:	500 mg

## Accessories

Plastic box:	347-140-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-644
DAkkS Certificate (Recalibration):	962-644R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	100 x 100 x 159 mm
Gross weight:	10 kg
Net weight:	10 kg
Shipping method:	Parcel service

## Construction

Dimensions:	100   159
Material:	finely turned stainless steel
Shape:	Slotted weight

# KERN 347-415

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	1 g
OIML class:	M1
Tolerance:	1 mg

### Accessories

Plastic box:	347-030-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-631
DAkkS Certificate (Recalibration):	962-631R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 2 mm
Gross weight:	1 g
Net weight:	1 g
Shipping method:	Parcel service

### Construction

Dimensions:	13   2
Material:	finely turned brass
Shape:	Slotted weight

# KERN 347-425

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	2 g
OIML class:	M1
Tolerance:	1,200 mg

### Accessories

Plastic box:	347-030-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-632
DAkkS Certificate (Recalibration):	962-632R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 3,7 mm
Gross weight:	2 g
Net weight:	2 g
Shipping method:	Parcel service

### Construction

Dimensions:	13   3,700
Material:	finely turned brass
Shape:	Slotted weight

# KERN 347-435

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	5 g
OIML class:	M1
Tolerance:	1,600 mg

### Accessories

Plastic box:	347-030-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-633
DAkkS Certificate (Recalibration):	962-633R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	18 x 18 x 3,5 mm
Gross weight:	5 g
Net weight:	10 g
Shipping method:	Parcel service

### Construction

Dimensions:	18   3,500
Material:	finely turned brass
Shape:	Slotted weight

# KERN 347-445

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	10 g
OIML class:	M1
Tolerance:	2 mg

### Accessories

Plastic box:	347-050-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-634
DAkkS Certificate (Recalibration):	962-634R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	22 x 22 x 4,4 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

### Construction

Dimensions:	22   4,400
Material:	finely turned brass
Shape:	Slotted weight

# KERN 347-455

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	20 g
OIML class:	M1
Tolerance:	2,500 mg

### Accessories

Plastic box:	347-080-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-635
DAkkS Certificate (Recalibration):	962-635R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	27 x 27 x 5,2 mm
Gross weight:	20 g
Net weight:	20 g
Shipping method:	Parcel service

### Construction

Dimensions:	27   5,200
Material:	finely turned brass
Shape:	Slotted weight

# KERN 347-465

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	50 g
OIML class:	M1
Tolerance:	3 mg

### Accessories

Plastic box:	347-080-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-636
DAkkS Certificate (Recalibration):	962-636R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	28 x 28 x 12 mm
Gross weight:	50 g
Net weight:	50 g
Shipping method:	Parcel service

### Construction

Dimensions:	28   12
Material:	finely turned brass
Shape:	Slotted weight



# KERN 347-475

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	100 g
OIML class:	M1
Tolerance:	5 mg

## Accessories

Plastic box:	347-090-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-637
DAkkS Certificate (Recalibration):	962-637R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	33 x 33 x 17 mm
Gross weight:	100 g
Net weight:	100 g
Shipping method:	Parcel service

## Construction

Dimensions:	33   17
Material:	finely turned brass
Shape:	Slotted weight

# KERN 347-485

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	200 g
OIML class:	M1
Tolerance:	10 mg

## Accessories

Plastic box:	347-090-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-638
DAkkS Certificate (Recalibration):	962-638R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	38 x 38 x 25 mm
Gross weight:	200 g
Net weight:	200 g
Shipping method:	Parcel service

## Construction

Dimensions:	38   25
Material:	finely turned brass
Shape:	Slotted weight

# KERN 347-525

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



### Measuring system

Nominal value:	2e+006 mg
OIML class:	M1
Tolerance:	100 mg

### Accessories

Plastic box:	347-130-400
--------------	-------------

### Services (optional)

DAkkS Certificate:	962-642
DAkkS Certificate (Recalibration):	962-642R

### Category

Brand:	KERN
--------	------

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	80 x 80 x 52 mm
Gross weight:	2 kg
Net weight:	2 kg
Shipping method:	Parcel service

### Construction

Dimensions:	80   52
Material:	finely turned brass
Shape:	Slotted weight

# KERN 347-535

Slotted weight, finely turned stainless steel / finely turned brass

# KERN®



## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	5e+006 mg
OIML class:	M1
Tolerance:	250 mg

## Accessories

Plastic box:	347-140-400
--------------	-------------

## Services (optional)

DAkkS Certificate:	962-643
DAkkS Certificate (Recalibration):	962-643R

## Category

Brand:	KERN
--------	------

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	100 x 100 x 79 mm
Gross weight:	5 kg
Net weight:	5 kg
Shipping method:	Parcel service

## Construction

Dimensions:	100   79
Material:	finely turned brass
Shape:	Slotted weight