

KERN ORA1SA

Area of application: Salt



Measuring system

ATC:	yes
Division:	0,001 sg1 à
Measuring capacity:	1.000 sg - 1 070 sg0 à - 100 à
Scales:	spec. gravitySalinity

Services (optional)

Factory calibration certificate:	961-290
----------------------------------	---------

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	215 x 94 x 65 mm
Gross weight:	320 g
Net weight:	267,720 g
Shipping method:	Parcel service

Construction

Dimensions (WxDxH):	198 x 40 x 40 mm
---------------------	------------------

Piktogramme

STANDARD



OPTION



KERN ORA1SB

Area of application: Salt



Measuring system

Division:	0,001 sg1 ã
Measuring capacity:	1.000 sg - 1 070 sg0 ã - 100 ã
Scales:	spec. gravitySalinity

Services (optional)

Factory calibration certificate:	961-290
----------------------------------	---------

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	215 x 94 x 65 mm
Gross weight:	320 g
Net weight:	267,720 g
Shipping method:	Parcel service

Construction

Dimensions (WxDxH):	198 x 40 x 40 mm
---------------------	------------------

Piktogramme

STANDARD



OPTION



KERN ORA2SA

Area of application: Salt



Measuring system

ATC:	yes
Division:	0,200 %
Measuring capacity:	0 % - 28 %
Scales:	Salt (NaCl)

Services (optional)

Factory calibration certificate:	961-290
----------------------------------	---------

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	215 x 94 x 65 mm
Gross weight:	310 g
Net weight:	257,720 g
Shipping method:	Parcel service

Construction

Dimensions (WxDxH):	178 x 40 x 40 mm
---------------------	------------------

Piktogramme

STANDARD



OPTION



KERN ORA2SB

Area of application: Salt



Measuring system

Division:	0,200 %
Measuring capacity:	0 % - 28 %
Scales:	Salt (NaCl)

Services (optional)

Factory calibration certificate:	961-290
----------------------------------	---------

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	215 x 94 x 65 mm
Gross weight:	310 g
Net weight:	257,720 g
Shipping method:	Parcel service

Construction

Dimensions (WxDxH):	178 x 40 x 40 mm
---------------------	------------------

Piktogramme

STANDARD



OPTION



KERN ORA3SA

Area of application: Salt



Measuring system

ATC:	yes
Division:	0.2 % 0.2 %
Measuring capacity:	0 % - 32 % 0 % - 28 %
Scales:	BrixSalt (NaCl)

Services (optional)

Factory calibration certificate:	961-290
----------------------------------	---------

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	215 x 94 x 65 mm
Gross weight:	310 g
Net weight:	257,720 g
Shipping method:	Parcel service

Construction

Dimensions (WxDxH):	178 x 40 x 40 mm
---------------------	------------------

Piktogramme

STANDARD



OPTION



KERN ORA3SB

Area of application: Salt



Measuring system

Division:	0.2 % 0.2 %
Measuring capacity:	0 % - 32 % 0 % - 28 %
Scales:	BrixSalt (NaCl)

Services (optional)

Factory calibration certificate:	961-290
----------------------------------	---------

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	215 x 94 x 65 mm
Gross weight:	310 g
Net weight:	257,720 g
Shipping method:	Parcel service

Construction

Dimensions (WxDxH):	178 x 40 x 40 mm
---------------------	------------------

Piktogramme

STANDARD



OPTION



KERN ORA80BB

Area of application: Sugar



Measuring system

Division:	0,500 %
Measuring capacity:	0 % - 80 %
Scales:	Brix

Services (optional)

Factory calibration certificate:	961-290
----------------------------------	---------

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	215 x 94 x 65 mm
Gross weight:	300 g
Net weight:	247,720 g
Shipping method:	Parcel service

Construction

Dimensions (WxDxH):	137 x 40 x 40 mm
---------------------	------------------

Piktogramme

STANDARD



OPTION

