

# KERN 317-01

Single weights, cylindrical, polished stainless steel

**KERN**<sup>®</sup>



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 6 mm
Gross weight:	1 g
Net weight:	1 g
Shipping method:	Parcel service

## Construction

Dimensions:	6   6
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	1 g
OIML class:	E2
Tolerance:	0,030 mg

## Accessories

Aluminium box:	317-010-600
Plastic box:	317-020-400
Wooden box:	317-010-100

## Services (optional)

DAkKS Certificate:	962-331
DAkKS Certificate (Recalibration):	962-331R
Positive tolerance:	921-331
Verification:	952-331

## Category

Brand:	KERN
--------	------

# KERN 317-02

Single weights, cylindrical, polished stainless steel

**KERN**<sup>®</sup>



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 10 mm
Gross weight:	2 g
Net weight:	2 g
Shipping method:	Parcel service

## Construction

Dimensions:	6   10
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	2 g
OIML class:	E2
Tolerance:	0,040 mg

## Accessories

Aluminium box:	317-020-600
Plastic box:	317-020-400
Wooden box:	317-020-100

## Services (optional)

DAkKS Certificate:	962-332
DAkKS Certificate (Recalibration):	962-332R
Positive tolerance:	921-332
Verification:	952-332

## Category

Brand:	KERN
--------	------

# KERN 317-03

Single weights, cylindrical, polished stainless steel



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	8 x 8 x 15 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

## Construction

Dimensions:	8   15
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	5 g
OIML class:	E2
Tolerance:	0,050 mg

## Accessories

Aluminium box:	317-030-600
Plastic box:	317-030-400
Wooden box:	317-030-100

## Services (optional)

DAkKS Certificate:	962-333
DAkKS Certificate (Recalibration):	962-333R
Positive tolerance:	921-333
Verification:	952-333

## Category

Brand:	KERN
--------	------

# KERN 317-04

Single weights, cylindrical, polished stainless steel

**KERN**<sup>®</sup>



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	10 x 10 x 18 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

## Construction

Dimensions:	10   18
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



1 DAY

### OPTION



+3 DAYS

## Measuring system

Nominal value:	10 g
OIML class:	E2
Tolerance:	0,060 mg

## Accessories

Aluminium box:	317-040-600
Plastic box:	317-040-400
Wooden box:	317-040-100

## Services (optional)

DAkkS Certificate:	962-334
DAkkS Certificate (Recalibration):	962-334R
Positive tolerance:	921-334
Verification:	952-334

## Category

Brand:	KERN
--------	------

# KERN 317-05

Single weights, cylindrical, polished stainless steel

**KERN**<sup>®</sup>



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 22 mm
Gross weight:	20 g
Net weight:	20 g
Shipping method:	Parcel service

## Construction

Dimensions:	13   22
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



1 DAY

### OPTION



+3 DAYS

## Measuring system

Nominal value:	20 g
OIML class:	E2
Tolerance:	0,080 mg

## Accessories

Aluminium box:	317-050-600
Plastic box:	317-050-400
Wooden box:	317-050-100

## Services (optional)

DAkkS Certificate:	962-335
DAkkS Certificate (Recalibration):	962-335R
Positive tolerance:	921-335
Verification:	952-335

## Category

Brand:	KERN
--------	------

# KERN 317-06

Single weights, cylindrical, polished stainless steel



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	18 x 18 x 28 mm
Gross weight:	50 g
Net weight:	50 g
Shipping method:	Parcel service

## Construction

Dimensions:	18   28
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	50 g
OIML class:	E2
Tolerance:	0,100 mg

## Accessories

Aluminium box:	317-060-600
Plastic box:	317-060-400
Wooden box:	317-060-100

## Services (optional)

DAkKS Certificate:	962-336
DAkKS Certificate (Recalibration):	962-336R
Positive tolerance:	921-336
Verification:	952-336

## Category

Brand:	KERN
--------	------

# KERN 317-07

Single weights, cylindrical, polished stainless steel



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	22 x 22 x 38 mm
Gross weight:	100 g
Net weight:	100 g
Shipping method:	Parcel service

## Construction

Dimensions:	22   38
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	100 g
OIML class:	E2
Tolerance:	0,160 mg

## Accessories

Aluminium box:	317-070-600
Plastic box:	317-070-400
Wooden box:	317-070-100

## Services (optional)

DAkKS Certificate:	962-337
DAkKS Certificate (Recalibration):	962-337R
Positive tolerance:	921-337
Verification:	952-336

## Category

Brand:	KERN
--------	------

# KERN 317-08

Single weights, cylindrical, polished stainless steel



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	28 x 28 x 47 mm
Gross weight:	200 g
Net weight:	200 g
Shipping method:	Parcel service

## Construction

Dimensions:	28   47
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	200 g
OIML class:	E2
Tolerance:	0,300 mg

## Accessories

Aluminium box:	317-080-600
Plastic box:	317-080-400
Wooden box:	317-080-100

## Services (optional)

DAkKS Certificate:	962-338
DAkKS Certificate (Recalibration):	962-338R
Positive tolerance:	921-338
Verification:	952-338

## Category

Brand:	KERN
--------	------



# KERN 317-09

Single weights, cylindrical, polished stainless steel



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	38 x 38 x 63 mm
Gross weight:	500 g
Net weight:	500 g
Shipping method:	Parcel service

## Construction

Dimensions:	38   63
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	500 g
OIML class:	E2
Tolerance:	0,800 mg

## Accessories

Aluminium box:	317-090-600
Plastic box:	317-090-400
Wooden box:	317-090-100

## Services (optional)

DAkKS Certificate:	962-339
DAkKS Certificate (Recalibration):	962-339R
Positive tolerance:	921-339
Verification:	952-339

## Category

Brand:	KERN
--------	------

# KERN 317-11

Single weights, cylindrical, polished stainless steel

**KERN**<sup>®</sup>



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	48 x 48 x 82 mm
Gross weight:	1 kg
Net weight:	1 kg
Shipping method:	Parcel service

## Construction

Dimensions:	48   82
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	1e+006 mg
OIML class:	E2
Tolerance:	1,600 mg

## Accessories

Aluminium box:	317-110-600
Plastic box:	317-110-400
Wooden box:	317-110-100

## Services (optional)

DAkKS Certificate:	962-341
DAkKS Certificate (Recalibration):	962-341R
Positive tolerance:	921-341
Verification:	952-341

## Category

Brand:	KERN
--------	------

# KERN 317-12

Single weights, cylindrical, polished stainless steel

**KERN**<sup>®</sup>



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	60 x 60 x 100 mm
Gross weight:	2 kg
Net weight:	2 kg
Shipping method:	Parcel service

## Construction

Dimensions:	60   100
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	2e+006 mg
OIML class:	E2
Tolerance:	3 mg

## Accessories

Aluminium box:	317-120-600
Plastic box:	317-120-400
Wooden box:	317-120-100

## Services (optional)

DAkkS Certificate:	962-342
DAkkS Certificate (Recalibration):	962-342R
Positive tolerance:	921-342
Verification:	952-342

## Category

Brand:	KERN
--------	------

# KERN 317-13

Single weights, cylindrical, polished stainless steel

**KERN**<sup>®</sup>



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	80 x 80 x 140 mm
Gross weight:	5 kg
Net weight:	5 kg
Shipping method:	Parcel service

## Construction

Dimensions:	80   140
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



1 DAY

### OPTION



DAkKS

+3 DAYS

## Measuring system

Nominal value:	5e+006 mg
OIML class:	E2
Tolerance:	8 mg

## Accessories

Aluminium box:	317-130-600
Plastic box:	317-130-400
Wooden box:	317-130-100

## Services (optional)

DAkKS Certificate:	962-343
DAkKS Certificate (Recalibration):	962-343R
Positive tolerance:	921-343
Verification:	952-343

## Category

Brand:	KERN
--------	------

# KERN 317-14

Single weights, cylindrical, polished stainless steel



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	100 x 100 x 185 mm
Gross weight:	10 kg
Net weight:	10 kg
Shipping method:	Parcel service

## Construction

Dimensions:	100   185
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



### OPTION



## Measuring system

Nominal value:	1e+007 mg
OIML class:	E2
Tolerance:	16 mg

## Accessories

Aluminium box:	317-140-600
Plastic box:	317-140-400
Wooden box:	317-140-100

## Services (optional)

DAkKS Certificate:	962-344
DAkKS Certificate (Recalibration):	962-344R
Positive tolerance:	921-344
Verification:	952-344

## Category

Brand:	KERN
--------	------

# KERN 317-15

Single weights, cylindrical, polished stainless steel

**KERN**<sup>®</sup>



## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	129 x 129 x 227 mm
Gross weight:	20 kg
Net weight:	20 kg
Shipping method:	Parcel service

## Construction

Dimensions:	129   227
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



1 DAY

### OPTION



DAkKS  
+3 DAYS

## Measuring system

Nominal value:	2e+007 mg
OIML class:	E2
Tolerance:	30 mg

## Accessories

Aluminium box:	317-150-600
Wooden box:	317-150-100

## Services (optional)

DAkKS Certificate:	962-345
DAkKS Certificate (Recalibration):	962-345R
Positive tolerance:	921-345
Verification:	952-345

## Category

Brand:	KERN
--------	------

# KERN 317-16

Single weights, cylindrical, polished stainless steel

**KERN**<sup>®</sup>



## Packaging & shipping

Delivery:	48 h
Dimensions packaging (WxDxH):	178 x 178 x 298 mm
Gross weight:	50 kg
Net weight:	50 kg
Shipping method:	Freight forwarder

## Construction

Dimensions:	178   298
Material:	polished stainless steel
Shape:	cylindrical

## Piktogramme

### STANDARD



1 DAY

### OPTION



DAkKS

+3 DAYS

## Measuring system

Nominal value:	5e+007 mg
OIML class:	E2
Tolerance:	80 mg

## Accessories

Aluminium box:	317-160-600
Wooden box:	317-160-100

## Services (optional)

DAkKS Certificate:	962-346
DAkKS Certificate (Recalibration):	962-346R
Positive tolerance:	921-346
Verification:	952-346

## Category

Brand:	KERN
--------	------