KERN MWA 300K-1M



Wheelchair platform scale with two integrated access ramps for easy access - with EC type approval and approval for professional medical use in medical diagnostics



Measuring system

Adjustment options:	External calibration
Eccentric loading at 1/3 [Max]:	100 g
Linearity:	100 g
Readability [d]:	100 g
Recommended adjusting weight:	300 kg (M1)
Repeatability:	100 g
Resolution:	3000
Tare range:	-299,900 kg
Warm up time:	10 min
Weighing capacity [Max]:	300 kg
Weighing system:	Strain gauge
Weighing units:	kg

Display

Display digit height (large):	2,500 cm
Display digit height (small):	5 mm

Technical data about verification

Minimum load [Min]:	2 kg
Periodic Verification for Italy:	969-112
Verification approval conforming to 2014/31/EU:	yes
Verification by KERN possible:	yes
Verification class:	III
Verification value [e]:	100 g

Functions

BMI function:	yes
Data hold function:	yes
Vibration-free weighing (Animal weighing program):	yes

Environmental conditions	
Maximum humidity:	80 %
Maximum operating temperature:	40 °C
Minimum ambient temperature:	10 °C
Minimum humidity:	5 %
Power supply	
Battery:	6x1.5 V AA
Charging time:	12 h
Input voltage:	100 V - 240 V 50 / 60 Hz
Mains adapter:	Mains adapter external
Mains adapter/adapter included:	UK EURO CH
Operating time:	20 h
Operating time (Backlight off):	40 h
Operating time (Backlight on):	20 h
Rechargeable battery:	Rchrg. battery optional - intern
Services (optional)	
Adjustment at the location of installation	n:961-249
DAkkS Certificate:	963-129
Verification:	965-129
Category	
Category Brand:	KERN
Brand:	KERN Balances
	KERN Balances Wheelchair platform scale
Brand: Category: Product Group:	Balances
Brand: Category: Product Group: Packaging & shipping	Balances Wheelchair platform scale
Brand: Category: Product Group: Packaging & shipping Delivery:	Balances Wheelchair platform scale 48 h
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH):	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg 68 kg
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg 68 kg
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Shipping method:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg 68 kg
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Shipping method: Construction	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg 68 kg Freight forwarder
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Shipping method: Construction Cable length of display device:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg 68 kg Freight forwarder 3 m
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device	Balances Wheelchair platform scale Wheelchair platform scale A8 h 1255 x 1100 x 285 mm 80 kg 68 kg Freight forwarder 3 m Steel lacquered
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device (WxDxH): Dimensions of weighing plate	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg 68 kg Freight forwarder 3 m Steel lacquered 200 x 130 x 60 mm
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device (WxDxH): Dimensions of weighing plate (WxDxH):	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg 68 kg Freight forwarder 3 m Steel lacquered 200 x 130 x 60 mm 995 x 945 x 40 mm
Brand: Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device (WxDxH): Dimensions of weighing plate (WxDxH): of stand:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 80 kg 68 kg Freight forwarder 3 m Steel lacquered 200 x 130 x 60 mm 995 x 945 x 40 mm

KERN MWA 300K-1M



Wheelchair platform scale with two integrated access ramps for easy access - with EC type approval and approval for professional medical use in medical diagnostics

Wall mount:

yes

Weighing surface (WxD): 880 x 840 mm Piktogramme STANDARD E Ē RS 232 MOVE IP 65 BATT MULTI 2 DAYS OPTION E C DAkkS ACCU +3 DAYS FACTORY



KERN MWA300K-1PM



Wheelchair platform scale with two integrated access ramps for easy access - with EC type approval and approval for professional medical use in medical diagnostics



Measuring system

Adjustment options:	External calibration
Eccentric loading at 1/3 [Max]:	100 g
Linearity:	100 g
Readability [d]:	100 g
Recommended adjusting weight:	300 kg (M1)
Repeatability:	100 g
Resolution:	3000
Tare range:	-299,900 kg
Warm up time:	10 min
Weighing capacity [Max]:	300 kg
Weighing system:	Strain gauge
Weighing units:	kg

Display

Display digit height (large):	2,500 cm
Display digit height (small):	5 mm

Technical data about verification

Minimum load [Min]:	2 kg
Periodic Verification for Italy:	969-112
Verification approval conforming to 2014/31/EU:	yes
Verification by KERN possible:	yes
Verification class:	III
Verification value [e]:	100 g

Functions

BMI function:	yes	
Data hold function:	yes	
Vibration-free weighing (Animal	yes	
weighing program):		

Environmental conditions	
Maximum humidity:	80 %
Maximum operating temperature:	40 °C
Minimum ambient temperature:	10 °C
Minimum humidity:	5 %
Power supply	
Battery:	6x1.5 V AA
Charging time:	12 h
Input voltage:	100 V - 240 V 50 / 60 Hz
Mains adapter:	Mains adapter external
Mains adapter/adapter included:	UK EURO CH
Operating time:	20 h
Operating time (Backlight off):	40 h
Operating time (Backlight on):	20 h
Rechargeable battery:	Rchrg. battery optional - intern
Services (optional)	
Adjustment at the location of installation	n:961-249
DAkkS Certificate:	963-129
Verification:	965-129
Category	
Brand:	KERN
Brand: Category:	KERN Balances
Category:	Balances
Category: Product Group:	Balances
Category: Product Group: Packaging & shipping	Balances Wheelchair platform scale
Category: Product Group: Packaging & shipping Delivery:	Balances Wheelchair platform scale 48 h
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH):	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg 76 kg
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Shipping method:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg 76 kg
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Shipping method: Construction	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg 76 kg Freight forwarder
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg 76 kg Freight forwarder 3 m
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device (WxDxH): Dimensions of weighing plate	Balances Wheelchair platform scale Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg 76 kg Freight forwarder 3 m Steel lacquered
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device (WxDxH):	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg 76 kg Freight forwarder 3 m Steel lacquered 200 x 130 x 60 mm
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device (WxDxH): Dimensions of weighing plate (WxDxH):	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg 76 kg Freight forwarder 3 m Steel lacquered 200 x 130 x 60 mm 995 x 945 x 40 mm
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device (WxDxH): Dimensions of weighing plate (WxDxH): of stand: Level indicator:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg 76 kg Freight forwarder 3 m Steel lacquered 200 x 130 x 60 mm 995 x 945 x 40 mm 94 cm yes
Category: Product Group: Packaging & shipping Delivery: Dimensions packaging (WxDxH): Gross weight: Net weight: Shipping method: Construction Cable length of display device: Casing material: Dimensions of display device (WxDxH): Dimensions of weighing plate (WxDxH): of stand:	Balances Wheelchair platform scale 48 h 1255 x 1100 x 285 mm 90 kg 76 kg Freight forwarder 3 m Steel lacquered 200 x 130 x 60 mm 995 x 945 x 40 mm

KERN MWA300K-1PM



Wheelchair platform scale with two integrated access ramps for easy access - with EC type approval and approval for professional medical use in medical diagnostics

Wall mount: Weighing surface yes

Weighing surface (WxD): 880 x 840 mm Piktogramme STANDARD E Ē RS 232 MOVE IP 65 BATT MULTI 2 DAYS OPTION E C DAkkS ACCU +3 DAYS FACTORY

