


# KERN 347-075-100-N00

Beam bar, aluminium / finely turned stainless steel



## Measuring system

|             |      |
|-------------|------|
| OIML class: | M1   |
| Tolerance:  | 5 mg |

## Services (optional)

|                                    |           |
|------------------------------------|-----------|
| DAkkS Certificate:                 | 962-637N  |
| DAkkS Certificate (Recalibration): | 962-637RN |

## Category

|        |      |
|--------|------|
| Brand: | KERN |
|--------|------|

## Packaging & shipping

|                               |                  |
|-------------------------------|------------------|
| Delivery:                     | 24 h             |
| Dimensions packaging (WxDxH): | 26 x 26 x 238 mm |
| Gross weight:                 | 100 g            |
| Net weight:                   | 100 g            |
| Shipping method:              | Parcel service   |

## Construction

|             |                               |
|-------------|-------------------------------|
| Dimensions: | 26   238                      |
| Material:   | finely turned stainless steel |
| Shape:      | Beam bar                      |

## Piktogramme

### STANDARD




### OPTION



# KERN 347-075-100

Beam bar, aluminium / finely turned stainless steel

**KERN**<sup>®</sup>



## Measuring system

|                |       |
|----------------|-------|
| Nominal value: | 100 g |
| OIML class:    | M1    |
| Tolerance:     | 5 mg  |

## Services (optional)

|                                    |          |
|------------------------------------|----------|
| DAkkS Certificate:                 | 962-637  |
| DAkkS Certificate (Recalibration): | 962-637R |

## Category

|        |      |
|--------|------|
| Brand: | KERN |
|--------|------|

## Packaging & shipping

|                               |                  |
|-------------------------------|------------------|
| Delivery:                     | 24 h             |
| Dimensions packaging (WxDxH): | 26 x 26 x 238 mm |
| Gross weight:                 | 100 g            |
| Net weight:                   | 100 g            |
| Shipping method:              | Parcel service   |

## Construction

|             |                               |
|-------------|-------------------------------|
| Dimensions: | 26   238                      |
| Material:   | finely turned stainless steel |
| Shape:      | Beam bar                      |

## Piktogramme

### STANDARD




### OPTION



# KERN 347-095-100-N00

Beam bar, aluminium / finely turned stainless steel



## Measuring system

|             |       |
|-------------|-------|
| OIML class: | M1    |
| Tolerance:  | 25 mg |

## Accessories

|              |             |
|--------------|-------------|
| Plastic box: | 347-515-400 |
|--------------|-------------|

## Services (optional)

|                                    |           |
|------------------------------------|-----------|
| DAkKS Certificate:                 | 962-639N  |
| DAkKS Certificate (Recalibration): | 962-639RN |

## Category

|        |      |
|--------|------|
| Brand: | KERN |
|--------|------|

## Packaging & shipping

|                               |                  |
|-------------------------------|------------------|
| Delivery:                     | 24 h             |
| Dimensions packaging (WxDxH): | 40 x 40 x 645 mm |
| Gross weight:                 | 500 g            |
| Net weight:                   | 500 g            |
| Shipping method:              | Parcel service   |

## Construction

|             |                               |
|-------------|-------------------------------|
| Dimensions: | 40   645                      |
| Material:   | finely turned stainless steel |
| Shape:      | Beam bar                      |

## Piktogramme

### STANDARD




### OPTION



# KERN 347-095-100

Beam bar, aluminium / finely turned stainless steel

**KERN**<sup>®</sup>



## Measuring system

|                |       |
|----------------|-------|
| Nominal value: | 500 g |
| OIML class:    | M1    |
| Tolerance:     | 25 mg |

## Accessories

|              |             |
|--------------|-------------|
| Plastic box: | 347-515-400 |
|--------------|-------------|

## Services (optional)

|                                    |          |
|------------------------------------|----------|
| DAkkS Certificate:                 | 962-639  |
| DAkkS Certificate (Recalibration): | 962-639R |

## Category

|        |      |
|--------|------|
| Brand: | KERN |
|--------|------|

## Packaging & shipping

|                               |                  |
|-------------------------------|------------------|
| Delivery:                     | 24 h             |
| Dimensions packaging (WxDxH): | 40 x 40 x 645 mm |
| Gross weight:                 | 500 g            |
| Net weight:                   | 500 g            |
| Shipping method:              | Parcel service   |

## Construction

|             |                               |
|-------------|-------------------------------|
| Dimensions: | 40   645                      |
| Material:   | finely turned stainless steel |
| Shape:      | Beam bar                      |

## Piktogramme

### STANDARD




### OPTION



# KERN 347-115-100-N00

Beam bar, aluminium / finely turned stainless steel



## Measuring system

|             |       |
|-------------|-------|
| OIML class: | M1    |
| Tolerance:  | 50 mg |

## Accessories

|              |             |
|--------------|-------------|
| Plastic box: | 347-515-400 |
|--------------|-------------|

## Services (optional)

|                                    |           |
|------------------------------------|-----------|
| DAkkS Certificate:                 | 962-641N  |
| DAkkS Certificate (Recalibration): | 962-641RN |

## Category

|        |      |
|--------|------|
| Brand: | KERN |
|--------|------|

## Packaging & shipping

|                               |                   |
|-------------------------------|-------------------|
| Delivery:                     | 24 h              |
| Dimensions packaging (WxDxH): | 60 x 60 x 1030 mm |
| Gross weight:                 | 1 kg              |
| Net weight:                   | 1 kg              |
| Shipping method:              | Parcel service    |

## Construction

|             |                               |
|-------------|-------------------------------|
| Dimensions: | 60   1030                     |
| Material:   | finely turned stainless steel |
| Shape:      | Beam bar                      |

## Piktogramme

### STANDARD




### OPTION



# KERN 347-115-100

Beam bar, aluminium / finely turned stainless steel



## Measuring system

|                |       |
|----------------|-------|
| Nominal value: | 1 kg  |
| OIML class:    | M1    |
| Tolerance:     | 50 mg |

## Accessories

|              |             |
|--------------|-------------|
| Plastic box: | 347-515-400 |
|--------------|-------------|

## Services (optional)

|                                    |          |
|------------------------------------|----------|
| DAkkS Certificate:                 | 962-641  |
| DAkkS Certificate (Recalibration): | 962-641R |

## Category

|        |      |
|--------|------|
| Brand: | KERN |
|--------|------|

## Packaging & shipping

|                               |                   |
|-------------------------------|-------------------|
| Delivery:                     | 24 h              |
| Dimensions packaging (WxDxH): | 60 x 60 x 1030 mm |
| Gross weight:                 | 1 kg              |
| Net weight:                   | 1 kg              |
| Shipping method:              | Parcel service    |

## Construction

|             |                               |
|-------------|-------------------------------|
| Dimensions: | 60   1030                     |
| Material:   | finely turned stainless steel |
| Shape:      | Beam bar                      |

## Piktogramme

### STANDARD




### OPTION



# KERN 347-445-100-N00

Beam bar, aluminium / finely turned stainless steel

**KERN**<sup>®</sup>



## Services (optional)

|                                    |           |
|------------------------------------|-----------|
| DAkkS Certificate:                 | 962-634N  |
| DAkkS Certificate (Recalibration): | 962-634RN |

## Category

|        |      |
|--------|------|
| Brand: | KERN |
|--------|------|

## Packaging & shipping

|                               |                  |
|-------------------------------|------------------|
| Delivery:                     | 24 h             |
| Dimensions packaging (WxDxH): | 14 x 14 x 118 mm |
| Gross weight:                 | 10 g             |
| Net weight:                   | 10 g             |
| Shipping method:              | Parcel service   |

## Construction

|             |           |
|-------------|-----------|
| Dimensions: | 14   118  |
| Material:   | aluminium |
| Shape:      | Beam bar  |

## Piktogramme

### STANDARD



### OPTION




## Measuring system

|             |    |
|-------------|----|
| OIML class: | M1 |
|-------------|----|

# KERN 347-445-100

Beam bar, aluminium / finely turned stainless steel



## Measuring system

|                |      |
|----------------|------|
| Nominal value: | 10 g |
| OIML class:    | M1   |
| Tolerance:     | 2 mg |

## Services (optional)

|                                    |          |
|------------------------------------|----------|
| DAkkS Certificate:                 | 962-634  |
| DAkkS Certificate (Recalibration): | 962-634R |

## Category

|        |      |
|--------|------|
| Brand: | KERN |
|--------|------|

## Packaging & shipping

|                               |                  |
|-------------------------------|------------------|
| Delivery:                     | 24 h             |
| Dimensions packaging (WxDxH): | 14 x 14 x 118 mm |
| Gross weight:                 | 10 g             |
| Net weight:                   | 10 g             |
| Shipping method:              | Parcel service   |

## Construction

|             |           |
|-------------|-----------|
| Dimensions: | 14   118  |
| Material:   | aluminium |
| Shape:      | Beam bar  |

## Piktogramme

### STANDARD



### OPTION

