

KERN 337-01

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 6 mm
Gross weight:	1 g
Net weight:	1 g
Shipping method:	Parcel service

Construction

Dimensions:	6 6
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	1 g
OIML class:	F2
Tolerance:	0,300 mg

Accessories

Aluminium box:	317-010-600
Plastic box:	347-030-400
Wooden box:	337-010-200

Services (optional)

DAkkS Certificate:	962-431
DAkkS Certificate (Recalibration):	962-431R
Positive tolerance:	921-431

Category

Brand:	KERN
--------	------

KERN 337-02

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 11 mm
Gross weight:	2 g
Net weight:	2 g
Shipping method:	Parcel service

Construction

Dimensions:	6 11
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



DAKkS
+3 DAYS

Measuring system

Nominal value:	2 g
OIML class:	F2
Tolerance:	0,400 mg

Accessories

Aluminium box:	317-020-600
Plastic box:	347-030-400
Wooden box:	337-020-200

Services (optional)

DAkKS Certificate:	962-432
DAkKS Certificate (Recalibration):	962-432R
Positive tolerance:	921-432

Category

Brand:	KERN
--------	------

KERN 337-03

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	8 x 8 x 16 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

Construction

Dimensions:	8 16,500
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



DAKkS
+3 DAYS

Measuring system

Nominal value:	5 g
OIML class:	F2
Tolerance:	0,500 mg

Accessories

Aluminium box:	317-030-600
Plastic box:	347-030-400
Wooden box:	337-030-200

Services (optional)

DAkKS Certificate:	962-433
DAkKS Certificate (Recalibration):	962-433R
Positive tolerance:	921-433

Category

Brand:	KERN
--------	------

KERN 337-04

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	10 x 10 x 19 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

Construction

Dimensions:	10 19
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	10 g
OIML class:	F2
Tolerance:	0,600 mg

Accessories

Aluminium box:	317-040-600
Plastic box:	347-050-400
Wooden box:	337-040-200

Services (optional)

DAkkS Certificate:	962-434
DAkkS Certificate (Recalibration):	962-434R
Positive tolerance:	921-434

Category

Brand:	KERN
--------	------

KERN 337-05

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 23 mm
Gross weight:	20 g
Net weight:	20 g
Shipping method:	Parcel service

Construction

Dimensions:	13 23,500
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	20 g
OIML class:	F2
Tolerance:	0,800 mg

Accessories

Aluminium box:	317-050-600
Plastic box:	347-050-400
Wooden box:	337-050-200

Services (optional)

DAkKS Certificate:	962-435
DAkKS Certificate (Recalibration):	962-435R
Positive tolerance:	921-435

Category

Brand:	KERN
--------	------

KERN 337-06

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	18 x 18 x 29 mm
Gross weight:	50 g
Net weight:	50 g
Shipping method:	Parcel service

Construction

Dimensions:	18 29,500
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



DAKkS
+3 DAYS

Measuring system

Nominal value:	50 g
OIML class:	F2
Tolerance:	1 mg

Accessories

Aluminium box:	317-060-600
Plastic box:	347-070-400
Wooden box:	337-060-200

Services (optional)

DAkKS Certificate:	962-436
DAkKS Certificate (Recalibration):	962-436R
Positive tolerance:	921-436

Category

Brand:	KERN
--------	------

KERN 337-07

Single weights, cylindrical, finely turned stainless steel



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	22 x 22 x 39 mm
Gross weight:	100 g
Net weight:	100 g
Shipping method:	Parcel service

Construction

Dimensions:	22 39
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	100 g
OIML class:	F2
Tolerance:	1,600 mg

Accessories

Aluminium box:	317-070-600
Plastic box:	347-070-400
Wooden box:	337-070-200

Services (optional)

DAkkS Certificate:	962-437
DAkkS Certificate (Recalibration):	962-437R
Positive tolerance:	921-437

Category

Brand:	KERN
--------	------

KERN 337-08

Single weights, cylindrical, finely turned stainless steel



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	28 x 28 x 48 mm
Gross weight:	200 g
Net weight:	200 g
Shipping method:	Parcel service

Construction

Dimensions:	28 48,500
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	200 g
OIML class:	F2
Tolerance:	3 mg

Accessories

Aluminium box:	317-080-600
Plastic box:	347-080-400
Wooden box:	337-080-200

Services (optional)

DAkKS Certificate:	962-438
DAkKS Certificate (Recalibration):	962-438R
Positive tolerance:	921-438

Category

Brand:	KERN
--------	------

KERN 337-09

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	38 x 38 x 66 mm
Gross weight:	500 g
Net weight:	500 g
Shipping method:	Parcel service

Construction

Dimensions:	38 66
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	500 g
OIML class:	F2
Tolerance:	8 mg

Accessories

Aluminium box:	317-090-600
Plastic box:	347-090-400
Wooden box:	337-090-200

Services (optional)

DAkkS Certificate:	962-439
DAkkS Certificate (Recalibration):	962-439R
Positive tolerance:	921-439

Category

Brand:	KERN
--------	------

KERN 337-11

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	48 x 48 x 80 mm
Gross weight:	1 kg
Net weight:	1 kg
Shipping method:	Parcel service

Construction

Dimensions:	48 80
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	1e+006 mg
OIML class:	F2
Tolerance:	16 mg

Accessories

Aluminium box:	317-110-600
Plastic box:	347-110-400
Wooden box:	337-110-200

Services (optional)

DAkkS Certificate:	962-441
DAkkS Certificate (Recalibration):	962-441R
Positive tolerance:	921-441

Category

Brand:	KERN
--------	------

KERN 337-12

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	60 x 60 x 114 mm
Gross weight:	2 kg
Net weight:	2 kg
Shipping method:	Parcel service

Construction

Dimensions:	60 114
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	2e+006 mg
OIML class:	F2
Tolerance:	30 mg

Accessories

Aluminium box:	317-120-600
Plastic box:	347-120-400
Wooden box:	337-120-200

Services (optional)

DAkkS Certificate:	962-442
DAkkS Certificate (Recalibration):	962-442R
Positive tolerance:	921-442

Category

Brand:	KERN
--------	------

KERN 337-13

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	80 x 80 x 147 mm
Gross weight:	5 kg
Net weight:	5 kg
Shipping method:	Parcel service

Construction

Dimensions:	80 147
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	5e+006 mg
OIML class:	F2
Tolerance:	80 mg

Accessories

Aluminium box:	317-130-600
Plastic box:	347-130-400
Wooden box:	337-130-200

Services (optional)

DAkkS Certificate:	962-443
DAkkS Certificate (Recalibration):	962-443R
Positive tolerance:	921-443

Category

Brand:	KERN
--------	------

KERN 337-14

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	100 x 100 x 178 mm
Gross weight:	10 kg
Net weight:	10 kg
Shipping method:	Parcel service

Construction

Dimensions:	100 178
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	1e+007 mg
OIML class:	F2
Tolerance:	160 mg

Accessories

Aluminium box:	317-140-600
Plastic box:	347-140-400
Wooden box:	337-140-200

Services (optional)

DAkKS Certificate:	962-444
DAkKS Certificate (Recalibration):	962-444R
Positive tolerance:	921-444

Category

Brand:	KERN
--------	------

KERN 337-15

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	128 x 128 x 230 mm
Gross weight:	20 kg
Net weight:	20 kg
Shipping method:	Parcel service

Construction

Dimensions:	128 230
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	2e+007 mg
OIML class:	F2
Tolerance:	300 mg

Accessories

Aluminium box:	317-150-600
Wooden box:	337-150-200

Services (optional)

DAkkS Certificate:	962-445
DAkkS Certificate (Recalibration):	962-445R
Positive tolerance:	921-445

Category

Brand:	KERN
--------	------

KERN 337-16

Single weights, cylindrical, finely turned stainless steel

KERN[®]



Packaging & shipping

Delivery:	48 h
Dimensions packaging (WxDxH):	178 x 178 x 298 mm
Gross weight:	50 kg
Net weight:	50 kg
Shipping method:	Freight forwarder

Construction

Dimensions:	178 298
Material:	finely turned stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	5e+007 mg
OIML class:	F2
Tolerance:	800 mg

Accessories

Aluminium box:	317-160-600
Wooden box:	337-160-200

Services (optional)

DAkkS Certificate:	962-446
DAkkS Certificate (Recalibration):	962-446R
Positive tolerance:	921-446

Category

Brand:	KERN
--------	------