

KERN 347-016-N00

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 6 mm
Gross weight:	1 g
Net weight:	1 g
Shipping method:	Parcel service

Construction

Dimensions:	6 6
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	1 mg

Accessories

Plastic box:	347-030-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-631N
DAkKS Certificate (Recalibration):	962-631RN

Category

Brand:	KERN
--------	------

KERN 347-016

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 6 mm
Gross weight:	1 g
Net weight:	1 g
Shipping method:	Parcel service

Construction

Dimensions:	6 6
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	1 g
OIML class:	M1
Tolerance:	1 mg

Accessories

Plastic box:	347-030-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-631
DAkkS Certificate (Recalibration):	962-631R

Category

Brand:	KERN
--------	------

KERN 347-026-N00

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 18 mm
Gross weight:	2 g
Net weight:	2 g
Shipping method:	Parcel service

Construction

Dimensions:	6 18
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	1,200 mg

Accessories

Plastic box:	347-030-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-632N
DAkKS Certificate (Recalibration):	962-632RN

Category

Brand:	KERN
--------	------

KERN 347-026

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 18 mm
Gross weight:	2 g
Net weight:	2 g
Shipping method:	Parcel service

Construction

Dimensions:	6 18
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	2 g
OIML class:	M1
Tolerance:	1,200 mg

Accessories

Plastic box:	347-030-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-632
DAkkS Certificate (Recalibration):	962-632R

Category

Brand:	KERN
--------	------

KERN 347-036-N00

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	8 x 8 x 22 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

Construction

Dimensions:	8 22
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	1,600 mg

Accessories

Plastic box:	347-030-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-633N
DAkKS Certificate (Recalibration):	962-633RN

Category

Brand:	KERN
--------	------

KERN 347-036

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	8 x 8 x 22 mm
Gross weight:	5 g
Net weight:	5 g
Shipping method:	Parcel service

Construction

Dimensions:	8 22
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	5 g
OIML class:	M1
Tolerance:	1,600 mg

Accessories

Plastic box:	347-030-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-633
DAkkS Certificate (Recalibration):	962-633R

Category

Brand:	KERN
--------	------

KERN 347-046-N00

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	10 x 10 x 27 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

Construction

Dimensions:	10 27
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	2 mg

Accessories

Plastic box:	347-050-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-634N
DAkKS Certificate (Recalibration):	962-634RN

Category

Brand:	KERN
--------	------

KERN 347-046

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	10 x 10 x 27 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

Construction

Dimensions:	10 27
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	10 g
OIML class:	M1
Tolerance:	2 mg

Accessories

Plastic box:	347-050-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-634
DAkkS Certificate (Recalibration):	962-634R

Category

Brand:	KERN
--------	------

KERN 347-056-N00

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 30 mm
Gross weight:	20 g
Net weight:	20 g
Shipping method:	Parcel service

Construction

Dimensions:	13 30
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	2,500 mg

Accessories

Plastic box:	347-050-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-635N
DAkKS Certificate (Recalibration):	962-635RN

Category

Brand:	KERN
--------	------

KERN 347-056

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 30 mm
Gross weight:	20 g
Net weight:	20 g
Shipping method:	Parcel service

Construction

Dimensions:	13 30
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	20 g
OIML class:	M1
Tolerance:	2,500 mg

Accessories

Plastic box:	347-050-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-635
DAkkS Certificate (Recalibration):	962-635R

Category

Brand:	KERN
--------	------

KERN 347-066-N00

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	18 x 18 x 36 mm
Gross weight:	50 g
Net weight:	50 g
Shipping method:	Parcel service

Construction

Dimensions:	18 36
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	3 mg

Accessories

Plastic box:	347-070-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-636N
DAkKS Certificate (Recalibration):	962-636RN

Category

Brand:	KERN
--------	------

KERN 347-066

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	18 x 18 x 36 mm
Gross weight:	50 g
Net weight:	50 g
Shipping method:	Parcel service

Construction

Dimensions:	18 36
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	50 g
OIML class:	M1
Tolerance:	3 mg

Accessories

Plastic box:	347-070-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-636
DAkkS Certificate (Recalibration):	962-636R

Category

Brand:	KERN
--------	------

KERN 347-076-N00

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	22 x 22 x 54 mm
Gross weight:	100 g
Net weight:	100 g
Shipping method:	Parcel service

Construction

Dimensions:	22 54
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	5 mg

Accessories

Plastic box:	347-090-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-637N
DAkKS Certificate (Recalibration):	962-637RN

Category

Brand:	KERN
--------	------

KERN 347-076

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	22 x 22 x 54 mm
Gross weight:	100 g
Net weight:	100 g
Shipping method:	Parcel service

Construction

Dimensions:	22 54
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	100 g
OIML class:	M1
Tolerance:	5 mg

Accessories

Plastic box:	347-090-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-637
DAkkS Certificate (Recalibration):	962-637R

Category

Brand:	KERN
--------	------

KERN 347-086-N00

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	28 x 28 x 61 mm
Gross weight:	200 g
Net weight:	200 g
Shipping method:	Parcel service

Construction

Dimensions:	28 61
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	10 mg

Accessories

Plastic box:	347-090-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-638N
DAkKS Certificate (Recalibration):	962-638RN

Category

Brand:	KERN
--------	------

KERN 347-086

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	28 x 28 x 61 mm
Gross weight:	200 g
Net weight:	200 g
Shipping method:	Parcel service

Construction

Dimensions:	28 61
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	200 g
OIML class:	M1
Tolerance:	10 mg

Accessories

Plastic box:	347-090-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-638
DAkkS Certificate (Recalibration):	962-638R

Category

Brand:	KERN
--------	------

KERN 347-096-N00

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	59 x 59 x 93 mm
Gross weight:	500 g
Net weight:	500 g
Shipping method:	Parcel service

Construction

Dimensions:	59 93
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

OIML class:	M1
Tolerance:	25 mg

Accessories

Plastic box:	347-110-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-639N
DAkkS Certificate (Recalibration):	962-639RN

Category

Brand:	KERN
--------	------

KERN 347-096

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	59 x 59 x 93 mm
Gross weight:	500 g
Net weight:	500 g
Shipping method:	Parcel service

Construction

Dimensions:	59 93
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	500 g
OIML class:	M1
Tolerance:	25 mg

Accessories

Plastic box:	347-110-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-639
DAkkS Certificate (Recalibration):	962-639R

Category

Brand:	KERN
--------	------

KERN 347-116-N00

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	73 x 73 x 123 mm
Gross weight:	1 kg
Net weight:	1 kg
Shipping method:	Parcel service

Construction

Dimensions:	73 123
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	50 mg

Accessories

Plastic box:	347-120-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-641N
DAkKS Certificate (Recalibration):	962-641RN

Category

Brand:	KERN
--------	------

KERN 347-116

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	73 x 73 x 123 mm
Gross weight:	1 kg
Net weight:	1 kg
Shipping method:	Parcel service

Construction

Dimensions:	73 123
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	1 kg
OIML class:	M1
Tolerance:	50 mg

Accessories

Plastic box:	347-120-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-641
DAkkS Certificate (Recalibration):	962-641R

Category

Brand:	KERN
--------	------

KERN 347-126-N00

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	60 x 60 x 146 mm
Gross weight:	2 kg
Net weight:	2 kg
Shipping method:	Parcel service

Construction

Dimensions:	60 146
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	100 mg

Accessories

Plastic box:	347-130-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-642N
DAkKS Certificate (Recalibration):	962-642RN

Category

Brand:	KERN
--------	------

KERN 347-126

Hook weight, finely turned stainless steel / finely turned brass



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	60 x 60 x 146 mm
Gross weight:	2 kg
Net weight:	2 kg
Shipping method:	Parcel service

Construction

Dimensions:	60 146
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	2 kg
OIML class:	M1
Tolerance:	100 mg

Accessories

Plastic box:	347-130-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-642
DAkkS Certificate (Recalibration):	962-642R

Category

Brand:	KERN
--------	------

KERN 347-136-N00

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	200 x 200 x 130 mm
Gross weight:	5 kg
Net weight:	5 kg
Shipping method:	Parcel service

Construction

Dimensions:	200 130
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	250 mg

Accessories

Plastic box:	347-140-400
--------------	-------------

Services (optional)

DAkKS Certificate:	962-643N
DAkKS Certificate (Recalibration):	962-643RN

Category

Brand:	KERN
--------	------

KERN 347-136

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	200 x 200 x 130 mm
Gross weight:	5 kg
Net weight:	5 kg
Shipping method:	Parcel service

Construction

Dimensions:	200 130
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	5 kg
OIML class:	M1
Tolerance:	250 mg

Accessories

Plastic box:	347-140-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-643
DAkkS Certificate (Recalibration):	962-643R

Category

Brand:	KERN
--------	------

KERN 347-146-N00

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Construction

Dimensions:	220 160
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

OIML class:	M1
Tolerance:	500 mg

Services (optional)

DAkkS Certificate:	962-644N
DAkkS Certificate (Recalibration):	962-644RN

Category

Brand:	KERN
--------	------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	220 x 220 x 160 mm
Gross weight:	10 kg
Net weight:	10 kg
Shipping method:	Parcel service

KERN 347-146

Hook weight, finely turned stainless steel / finely turned brass



Construction

Dimensions:	220 160
Material:	finely turned stainless steel
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	10 kg
OIML class:	M1
Tolerance:	500 mg

Services (optional)

DAkkS Certificate:	962-644
DAkkS Certificate (Recalibration):	962-644R

Category

Brand:	KERN
--------	------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	220 x 220 x 160 mm
Gross weight:	10 kg
Net weight:	10 kg
Shipping method:	Parcel service

KERN 347-416

Hook weight, finely turned stainless steel / finely turned brass

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 6 mm
Gross weight:	1 g
Net weight:	1 g
Shipping method:	Parcel service

Construction

Dimensions:	6 6
Material:	finely turned brass
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	1 g
OIML class:	M1
Tolerance:	1 mg

Accessories

Plastic box:	347-030-400
--------------	-------------

Services (optional)

DAkkS Certificate:	962-631
DAkkS Certificate (Recalibration):	962-631R

Category

Brand:	KERN
--------	------

KERN 347-546

Hook weight, finely turned stainless steel / finely turned brass



Construction

Dimensions:	100 227
Material:	finely turned brass
Shape:	Hook weight

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	1e+007 mg
OIML class:	M1
Tolerance:	500 mg

Services (optional)

DAkkS Certificate:	962-644
DAkkS Certificate (Recalibration):	962-644R

Category

Brand:	KERN
--------	------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	225 x 225 x 165 mm
Gross weight:	10 kg
Net weight:	10 kg
Shipping method:	Parcel service