

KERN 337-141

Test weight, finely turned stainless steel, stackable

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	136 x 136 x 132 mm
Gross weight:	10 kg
Net weight:	10 kg
Shipping method:	Parcel service

Construction

Dimensions:	136 132
Material:	finely turned stainless steel
Shape:	Test weights

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	1e+007 mg
OIML class:	F2
Tolerance:	160 mg

Accessories

Aluminium box:	nicht verfügbar
Plastic box:	nicht verfügbar
Wooden box:	337-141-200

Services (optional)

DAkKS Certificate:	962-444
DAkKS Certificate (Recalibration):	962-444R
Positive tolerance:	921-444

Category

Brand:	KERN
--------	------

KERN 337-151

Test weight, finely turned stainless steel, stackable

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	137 x 137 x 217 mm
Gross weight:	20 kg
Net weight:	20 kg
Shipping method:	Parcel service

Construction

Dimensions:	136 217
Material:	finely turned stainless steel
Shape:	Test weights

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	2e+007 mg
OIML class:	F2
Tolerance:	300 mg

Accessories

Aluminium box:	nicht verfügbar
Plastic box:	nicht verfügbar
Wooden box:	337-151-200

Services (optional)

DAkKS Certificate:	962-445
DAkKS Certificate (Recalibration):	962-445R
Positive tolerance:	921-445

Category

Brand:	KERN
--------	------

KERN 337-161

Test weight, finely turned stainless steel, stackable

KERN[®]



Packaging & shipping

Delivery:	48 h
Dimensions packaging (WxDxH):	198 x 198 x 249 mm
Gross weight:	50 kg
Net weight:	50 kg
Shipping method:	Freight forwarder

Construction

Dimensions:	198 249,500
Material:	finely turned stainless steel
Shape:	Test weights

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	5e+007 mg
OIML class:	F2
Tolerance:	800 mg

Accessories

Aluminium box:	nicht verfügbar
Plastic box:	nicht verfügbar
Wooden box:	337-161-200

Services (optional)

DAkKS Certificate:	962-446
DAkKS Certificate (Recalibration):	962-446R
Positive tolerance:	921-446

Category

Brand:	KERN
--------	------