

KERN OZL464C825



The flexible, affordable all-rounder with zoom function for schools, training companies, inspection authorities and laboratories



Construction

Eye distance (max):	75
Eye distance (min):	55
Optical system:	Greenough
Resolution:	5,100 MP
Rotation of tube 360°:	yes
Sensor:	CMOS
Sensor size:	1/2.5"
Tube:	Trinocular
Tube angle:	45°

Functions

Supported operating system:	Win XP Win Vista Win 7 Win 8 Win 10
-----------------------------	-------------------------------------

Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	EURO

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	590 x 440 x 390 mm
Gross weight:	6,500 kg
Net weight:	4,865 kg
Shipping method:	Parcel service

KERN OZL464C832



The flexible, affordable all-rounder with zoom function for schools, training companies, inspection authorities and laboratories



Construction

Eye distance (max):	75
Eye distance (min):	55
Optical system:	Greenough
Resolution:	5,100 MP
Rotation of tube 360°:	yes
Sensor:	CMOS
Sensor size:	1/2.5"
Tube:	Trinocular
Tube angle:	45°

Functions

Supported operating system:	Win XP Win Vista Win 7 Win 8 Win 10
-----------------------------	-------------------------------------

Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	EURO

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	590 x 440 x 390 mm
Gross weight:	6,500 kg
Net weight:	4,865 kg
Shipping method:	Parcel service

KERN OZL464T241



The flexible, affordable all-rounder with zoom function for schools, training companies, inspection authorities and laboratories



Construction

Eye distance (max):	75
Eye distance (min):	55
Optical system:	Greenough
Resolution:	5 MP
Rotation of tube 360°:	yes
Sensor:	CMOS
Sensor size:	1/2.5"
Tube:	Trinocular
Tube angle:	45°

Functions

Supported operating system:	Android
-----------------------------	---------

Power supply

Input voltage:	100 - 240 V
Mains adapter/adapter included:	EURO

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	590 x 440 x 390 mm
Gross weight:	6,550 kg
Net weight:	5,075 kg
Shipping method:	Parcel service

KERN OZL466C825



The flexible, affordable all-rounder with zoom function for schools, training companies, inspection authorities and laboratories



Construction

Eye distance (max):	75
Eye distance (min):	55
Optical system:	Greenough
Resolution:	5,100 MP
Rotation of tube 360°:	yes
Sensor:	CMOS
Sensor size:	1/2.5"
Tube:	Trinocular
Tube angle:	45°

Functions

Supported operating system:	Win XP Win Vista Win 7 Win 8 Win 10
-----------------------------	-------------------------------------

Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	EURO

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	590 x 440 x 390 mm
Gross weight:	7 kg
Net weight:	4,865 kg
Shipping method:	Parcel service

KERN OZL466C832



The flexible, affordable all-rounder with zoom function for schools, training companies, inspection authorities and laboratories



Construction

Eye distance (max):	75
Eye distance (min):	55
Optical system:	Greenough
Resolution:	5,100 MP
Rotation of tube 360°:	yes
Sensor:	CMOS
Sensor size:	1/2.5"
Tube:	Trinocular
Tube angle:	45°

Functions

Supported operating system:	Win XP Win Vista Win 7 Win 8 Win 10
-----------------------------	-------------------------------------

Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	EURO

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	590 x 440 x 390 mm
Gross weight:	7 kg
Net weight:	4,865 kg
Shipping method:	Parcel service

KERN OZL466T241



The flexible, affordable all-rounder with zoom function for schools, training companies, inspection authorities and laboratories



Construction

Eye distance (max):	75
Eye distance (min):	55
Optical system:	Greenough
Rotation of tube 360°:	yes
Tube:	Trinocular
Tube angle:	45°

Functions

Supported operating system:	Android
-----------------------------	---------

Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	EURO

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	590 x 440 x 390 mm
Gross weight:	7,050 kg
Net weight:	5,075 kg
Shipping method:	Parcel service

KERN OZL468C825



The flexible, affordable all-rounder with zoom function for schools, training companies, inspection authorities and laboratories



Construction

Eye distance (max):	75
Eye distance (min):	55
Optical system:	Greenough
Resolution:	5 MP
Rotation of tube 360°:	yes
Sensor:	CMOS
Sensor size:	1/2.5"
Tube:	Trinocular
Tube angle:	45°

Functions

Supported operating system:	Win XP Win Vista Win 7 Win 8 Win 10
-----------------------------	-------------------------------------

Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	EURO

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	590 x 440 x 390 mm
Gross weight:	7 kg
Net weight:	4,865 kg
Shipping method:	Parcel service

KERN OZL468C832



The flexible, affordable all-rounder with zoom function for schools, training companies, inspection authorities and laboratories



Construction

Eye distance (max):	75
Eye distance (min):	55
Optical system:	Greenough
Resolution:	5,100 MP
Rotation of tube 360°:	yes
Sensor:	CMOS
Sensor size:	1/2.5"
Tube:	Trinocular
Tube angle:	45°

Functions

Supported operating system:	Win XP Win Vista Win 7 Win 8 Win 10
-----------------------------	-------------------------------------

Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	EURO

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	590 x 440 x 390 mm
Gross weight:	7 kg
Net weight:	4,865 kg
Shipping method:	Parcel service

KERN OZL468T241



The flexible, affordable all-rounder with zoom function for schools, training companies, inspection authorities and laboratories



Construction

Eye distance (max):	75
Eye distance (min):	55
Optical system:	Greenough
Resolution:	5 MP
Rotation of tube 360°:	yes
Sensor:	CMOS
Sensor size:	1/2.5"
Tube:	Trinocular
Tube angle:	45°

Functions

Supported operating system:	Android
-----------------------------	---------

Power supply

Input voltage:	100 - 240 V
Mains adapter/adaptor included:	EURO

Category

Brand:	Optics
--------	--------

Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	590 x 440 x 390 mm
Gross weight:	7,050 kg
Net weight:	5,075 kg
Shipping method:	Parcel service