

# KERN TI-AC

Lever operated test stand for hardness testing with base plate made out of glass

# KERN®

## Piktogramme

STANDARD



### Category

Brand:	Sauter
Category:	Hardness testers

### Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	360 x 250 x 190 mm
Gross weight:	6,300 kg
Net weight:	5,700 kg
Shipping method:	Parcel service

### Construction

Casing material:	stainless steel
Dimensions (WxDxH):	150 x 110 x 330 mm
Dimensions housing (WxDxH):	150 x 110 x 330 mm
Overall dimensions mounted (WxDxH):	150 x 110 x 190 mm

# KERN TI-ACL

Lever operated test stand for hardness testing with base plate made out of glass

# KERN®

## Piktogramme

STANDARD



## Category

Brand:	Sauter
Category:	Hardness testers

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	355 x 255 x 180 mm
Gross weight:	6,300 kg
Net weight:	4,500 kg
Shipping method:	Parcel service

## Construction

Casing material:	Metal lacquered
Dimensions (WxDxH):	150 x 110 x 380 mm
Dimensions housing (WxDxH):	150 x 110 x 380 mm
Overall dimensions mounted (WxDxH):	150 x 110 x 380 mm

# KERN TI-D

Lever operated test stand for hardness testing with base plate made out of glass

# KERN®

## Piktogramme

STANDARD



## Category

Brand:	Sauter
Category:	Hardness testers

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	370 x 250 x 200 mm
Gross weight:	10,200 kg
Net weight:	8,500 kg
Shipping method:	Parcel service

## Construction

Casing material:	stainless steel
Dimensions (WxDxH):	150 x 110 x 400 mm
Dimensions housing (WxDxH):	150 x 110 x 400 mm
Overall dimensions mounted (WxDxH):	160 x 118 x 300 mm

# KERN TI-DL

Lever operated test stand for hardness testing with base plate made out of glass

# KERN®

## Piktogramme

STANDARD



## Category

Brand:	Sauter
Category:	Hardness testers

## Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	355 x 255 x 180 mm
Gross weight:	8,800 kg
Net weight:	7,200 kg
Shipping method:	Parcel service

## Construction

Casing material:	Metal lacquered
Dimensions (WxDxH):	150 x 110 x 380 mm
Dimensions housing (WxDxH):	150 x 110 x 380 mm
Overall dimensions mounted (WxDxH):	150 x 110 x 380 mm