

KERN 327-01

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 6 mm
Gross weight:	1 g
Net weight:	1 g
Shipping method:	Parcel service

Construction

Dimensions:	6 6
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	1 g
OIML class:	F1
Tolerance:	0,100 mg

Accessories

Aluminium box:	317-010-600
Plastic box:	347-030-400
Wooden box:	317-010-100

Services (optional)

DAkkS Certificate:	962-431
DAkkS Certificate (Recalibration):	962-431R
Positive tolerance:	921-431
Verification:	952-431

Category

Brand:	KERN
--------	------

KERN 327-02

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	6 x 6 x 11 mm
Gross weight:	2 g
Net weight:	2 g
Shipping method:	Parcel service

Construction

Dimensions:	6 11
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	2 g
OIML class:	F1
Tolerance:	0,120 mg

Accessories

Aluminium box:	317-020-600
Plastic box:	347-030-400
Wooden box:	317-020-100

Services (optional)

DAkKS Certificate:	962-432
DAkKS Certificate (Recalibration):	962-432R
Positive tolerance:	921-432
Verification:	952-432

Category

Brand:	KERN
--------	------

KERN 327-03

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	8 x 8 x 16 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

Construction

Dimensions:	8 16,500
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	5 g
OIML class:	F1
Tolerance:	0,160 mg

Accessories

Aluminium box:	317-030-600
Plastic box:	347-030-400
Wooden box:	317-030-100

Services (optional)

DAkkS Certificate:	962-433
DAkkS Certificate (Recalibration):	962-433R
Positive tolerance:	921-433
Verification:	952-433

Category

Brand:	KERN
--------	------

KERN 327-04

Single weights, cylindrical, polished stainless steel



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	10 x 10 x 19 mm
Gross weight:	10 g
Net weight:	10 g
Shipping method:	Parcel service

Construction

Dimensions:	10 19
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	10 g
OIML class:	F1
Tolerance:	0,200 mg

Accessories

Aluminium box:	317-040-600
Plastic box:	347-050-400
Wooden box:	317-040-100

Services (optional)

DAkKS Certificate:	962-434
DAkKS Certificate (Recalibration):	962-434R
Positive tolerance:	921-434
Verification:	952-434

Category

Brand:	KERN
--------	------

KERN 327-05

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	13 x 13 x 23 mm
Gross weight:	20 g
Net weight:	20 g
Shipping method:	Parcel service

Construction

Dimensions:	13 23,500
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	20 g
OIML class:	F1
Tolerance:	0,250 mg

Accessories

Aluminium box:	317-050-600
Plastic box:	347-050-400
Wooden box:	317-050-100

Services (optional)

DAkKS Certificate:	962-435
DAkKS Certificate (Recalibration):	962-435R
Positive tolerance:	921-435
Verification:	952-435

Category

Brand:	KERN
--------	------

KERN 327-06

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	18 x 18 x 29 mm
Gross weight:	50 g
Net weight:	50 g
Shipping method:	Parcel service

Construction

Dimensions:	18 29,500
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



DAkKS

+3 DAYS

Measuring system

Nominal value:	50 g
OIML class:	F1
Tolerance:	0,300 mg

Accessories

Aluminium box:	317-060-600
Plastic box:	347-070-400
Wooden box:	317-060-100

Services (optional)

DAkKS Certificate:	962-436
DAkKS Certificate (Recalibration):	962-436R
Positive tolerance:	921-436
Verification:	952-436

Category

Brand:	KERN
--------	------

KERN 327-07

Single weights, cylindrical, polished stainless steel



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	22 x 22 x 39 mm
Gross weight:	100 g
Net weight:	100 g
Shipping method:	Parcel service

Construction

Dimensions:	22 39
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	100 g
OIML class:	F1
Tolerance:	0,500 mg

Accessories

Aluminium box:	317-070-600
Plastic box:	347-070-400
Wooden box:	317-070-100

Services (optional)

DAkKS Certificate:	962-437
DAkKS Certificate (Recalibration):	962-437R
Positive tolerance:	921-437
Verification:	952-437

Category

Brand:	KERN
--------	------

KERN 327-08

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	28 x 28 x 48 mm
Gross weight:	200 g
Net weight:	200 g
Shipping method:	Parcel service

Construction

Dimensions:	28 48,500
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	200 g
OIML class:	F1
Tolerance:	1 mg

Accessories

Aluminium box:	317-080-600
Plastic box:	347-080-400
Wooden box:	317-080-100

Services (optional)

DAkkS Certificate:	962-438
DAkkS Certificate (Recalibration):	962-438R
Positive tolerance:	921-438
Verification:	952-438

Category

Brand:	KERN
--------	------

KERN 327-09

Single weights, cylindrical, polished stainless steel



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	38 x 38 x 66 mm
Gross weight:	500 g
Net weight:	500 g
Shipping method:	Parcel service

Construction

Dimensions:	38 66
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	500 g
OIML class:	F1
Tolerance:	2,500 mg

Accessories

Aluminium box:	317-090-600
Plastic box:	347-090-400
Wooden box:	317-090-100

Services (optional)

DAkKS Certificate:	962-439
DAkKS Certificate (Recalibration):	962-439R
Positive tolerance:	921-439
Verification:	952-439

Category

Brand:	KERN
--------	------

KERN 327-11

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	48 x 48 x 83 mm
Gross weight:	1 kg
Net weight:	1 kg
Shipping method:	Parcel service

Construction

Dimensions:	48 83
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	1e+006 mg
OIML class:	F1
Tolerance:	5 mg

Accessories

Aluminium box:	317-110-600
Plastic box:	347-110-400
Wooden box:	317-110-100

Services (optional)

DAkkS Certificate:	962-441
DAkkS Certificate (Recalibration):	962-441R
Positive tolerance:	921-441
Verification:	952-441

Category

Brand:	KERN
--------	------

KERN 327-12

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	60 x 60 x 115 mm
Gross weight:	2 kg
Net weight:	2 kg
Shipping method:	Parcel service

Construction

Dimensions:	60 115
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	2e+006 mg
OIML class:	F1
Tolerance:	10 mg

Accessories

Aluminium box:	317-120-600
Plastic box:	347-120-400
Wooden box:	317-120-100

Services (optional)

DAkKS Certificate:	962-442
DAkKS Certificate (Recalibration):	962-442R
Positive tolerance:	921-442
Verification:	952-442

Category

Brand:	KERN
--------	------

KERN 327-13

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	80 x 80 x 147 mm
Gross weight:	5 kg
Net weight:	5 kg
Shipping method:	Parcel service

Construction

Dimensions:	80 147
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	5e+006 mg
OIML class:	F1
Tolerance:	25 mg

Accessories

Aluminium box:	317-130-600
Plastic box:	347-130-400
Wooden box:	317-130-100

Services (optional)

DAkkS Certificate:	962-443
DAkkS Certificate (Recalibration):	962-443R
Positive tolerance:	921-443
Verification:	952-443

Category

Brand:	KERN
--------	------

KERN 327-14

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	100 x 100 x 185 mm
Gross weight:	10 kg
Net weight:	10 kg
Shipping method:	Parcel service

Construction

Dimensions:	100 185
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	1e+007 mg
OIML class:	F1
Tolerance:	50 mg

Accessories

Aluminium box:	317-140-600
Plastic box:	347-140-400
Wooden box:	317-140-100

Services (optional)

DAkkS Certificate:	962-444
DAkkS Certificate (Recalibration):	962-444R
Positive tolerance:	921-444
Verification:	952-444

Category

Brand:	KERN
--------	------

KERN 327-15

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	24 h
Dimensions packaging (WxDxH):	129 x 129 x 245 mm
Gross weight:	20 kg
Net weight:	20 kg
Shipping method:	Parcel service

Construction

Dimensions:	129 245
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



1 DAY

OPTION



+3 DAYS

Measuring system

Nominal value:	2e+007 mg
OIML class:	F1
Tolerance:	100 mg

Accessories

Aluminium box:	317-150-600
Wooden box:	317-150-100

Services (optional)

DAkkS Certificate:	962-445
DAkkS Certificate (Recalibration):	962-445R
Positive tolerance:	921-445
Verification:	952-445

Category

Brand:	KERN
--------	------

KERN 327-16

Single weights, cylindrical, polished stainless steel

KERN[®]



Packaging & shipping

Delivery:	48 h
Dimensions packaging (WxDxH):	178 x 178 x 298 mm
Gross weight:	50 kg
Net weight:	50 kg
Shipping method:	Freight forwarder

Construction

Dimensions:	178 298
Material:	polished stainless steel
Shape:	cylindrical

Piktogramme

STANDARD



OPTION



Measuring system

Nominal value:	5e+007 mg
OIML class:	F1
Tolerance:	250 mg

Accessories

Aluminium box:	317-160-600
Wooden box:	317-160-100

Services (optional)

DAkKS Certificate:	962-446
DAkKS Certificate (Recalibration):	962-446R
Positive tolerance:	921-446
Verification:	952-446

Category

Brand:	KERN
--------	------